

Scottish Paediatric Endocrine Network (SPEG)

Transition Framework

NOTE

This guideline is not intended to be construed or to serve as a standard of care. Standards of care are determined based on all clinical data available for an individual case and are subject to change as scientific knowledge and technology advance and patterns of care evolve. Adherence to guideline recommendations will not ensure a successful outcome in every case, nor should they be construed as including all proper methods of care or excluding other acceptable methods of care aimed at the same results. The ultimate judgement must be made by the appropriate healthcare professional(s) responsible for clinical decisions regarding a particular clinical procedure or treatment plan. This judgement should only be arrived at following discussion of the options with the patient, covering the diagnostic and treatment choices available. It is advised, however, that significant departures from the national guideline or any local guidelines derived from it should be fully documented in the patient's case notes at the time the relevant decision is taken.

This guidance has been prepared by NHS National Services Scotland (NSS) National Networks. Accountable to Scottish Government, NSS works at the heart of the health service providing national strategic services to the rest of NHSScotland and other public sector organisations to help them deliver their services more efficiently and effectively. Working across professional and organisational boundaries, National Networks support the delivery of safe, effective healthcare that's designed around patients, carers and families.

Contents

Introduction	4
Definition and aims.....	4
The aims of transitional care are to:	4
Key elements for an effective transition programme	4
Philosophy of transition	5
Preparation for transition	5
Principles	5
Timings and age.....	6
Process of transition.....	6
Initiation and co-ordination of transition.....	6
Educational programme	7
Assessment of readiness for transition	7
Involvement of GP in transition process.....	7
Acknowledgements	7
National Standards for Endocrine Transition.....	7
Principles	7
Process	8
Quality Standards for Transition.....	8
Information matrix.....	9
Transition checklist – matrix for information	9
Transition checklist – matrix for individual and interaction	10
Transition checklist – service and interaction.....	11
References.....	12
Appendix 1 – Steering Group membership	13

Authors	Dr Rohana Wright (Consultant Endocrinologist, NHS Lothian), Dr Guftar Shaikh (Consultant Paediatric Endocrinologist, NHS Greater Glasgow and Clyde), Dr Colin Perry (Consultant Endocrinologist, NHS Greater Glasgow and Clyde), Dr Nicola Zammitt (Consultant Physician – Diabetes, NHS Lothian) Jennifer Roach (Endocrinology Nurse Specialist, NHS Lothian)
Stakeholders involved	Consultant Paediatric Endocrinologists, Consultant Paediatricians, Specialist Endocrine Nurses, Scottish Study Group for the Care of Diabetes in the Young
Methodology used	• Literature search • Review of evidence • Review of available national and international guidance including the work of the Paediatric subgroup of the Scottish Diabetes Group and the North-West Paediatric Network • Engagement with key stakeholders (see above) - Guidelines drafted with review date • Guideline submitted to Steering Group (see appendix) for comment then approval
Rationale	This guideline is based on the work done by the Paediatric subgroup of the Scottish Diabetes Group, which in turn has based their transition policy on the work of the North-West Paediatric Network. SPEG acknowledges their work and is grateful that they have made this policy available to adapt for endocrinology.
Scope	This guideline will be useful for anyone dealing with the transition of young people to adult services within endocrinology. This guideline covers any patients who are moving from paediatric to adult services within endocrinology.
Approval process	The guideline was approved by the SPEG Steering Group on 23 September 2025. See appendix for list of Steering Group members

Introduction

The transition from childhood to adulthood is an important stage in a young person's life. For adolescents with health care needs, this is a time when they can be expected to take increasing responsibility for their own health. Adolescents with long-term conditions are less likely to adhere to medical advice than younger children ¹. This can affect health outcomes in adulthood ². Adolescents with endocrine conditions can lose contact with healthcare services during the transition period ³ and this disengagement with services can have adverse effects on health ⁴. ⁵. There is therefore consensus that the needs of adolescents and young people need to be actively managed during this transition period ⁶⁻⁸.

Definition and aims

Transition is a "planned, purposeful movement of the young person from a child-centred to an adult orientated health care system". It is a process which evolves over a considerable period of time and should not be considered an event ⁹.

Transitional care is a multi-dimensional, multi-disciplinary process that addresses not only the medical needs of young people as they move from children's services to adult services, but also their psychosocial, educational and vocational needs and the needs of their parents.

The aims of transitional care are to:

- Provide high quality, co-ordinated, uninterrupted healthcare, that is patient-centred, age and developmentally appropriate and culturally competent.
- Be flexible, responsive and comprehensive with respect to all persons involved.
- Promote skills in communication, decision-making, assertiveness and self-care, self-determination and self-advocacy.
- Enhance the young person's sense of control and move towards independence.
- Provide support for the parent(s)/guardian(s) of the young person during this process.
- Provide care in a young-person friendly environment

Key elements for an effective transition programme

- a written policy
- the opportunity to meet the adult physician in advance of the planned movement into the adult service
- a preparation period and education programme with an individualised approach, which addresses psychosocial and educational/vocational needs, provides opportunities for adolescents to express opinions and make informed decisions, and gives them the option of being seen by professionals with or without their parents depending on their wishes
- a co-ordinated transfer process with a named co-ordinator and continuity in health personnel when possible

SPEG

Transition Framework

- administrative support
- primary health care and social care involvement
- young person friendly clinic facilities

Philosophy of transition

- a transition programme is an essential part of quality care for adolescents with endocrine conditions
- effective transition must recognise that transition in health care is only one part of the wider transition from dependent child to independent adult
- transition services must also address the needs of the parent/guardian(s) whose role is evolving at this time in their son/daughter's life and healthcare
- in moving from child-centred to adult health services, adolescents undergo a change that is cultural as well as clinical
- transition services must be multidisciplinary and involve both paediatric and adult teams, and any other parties involved in the care of the adolescent
- co-ordination of transitional care is critical, and a key worker should be identified for each adolescent to ensure seamless transition
- transition is NOT synonymous with transfer. Transition is an active *process* and not a single event like transfer. Transition must begin early, be planned and regularly reviewed, and be age and developmentally appropriate
- transition services must undergo continued evaluation

Preparation for transition

Principles

- both the teenager/adolescent and their parent(s) need to be prepared for transition and eventual transfer to the young adult service
- there must be a flexible approach to transition which considers developmental readiness and links to other social transitions such as leaving school
- adolescents should only be transferred to the young adult service when they have completed growth and puberty and have the necessary skills to function in a young adult service largely independent of parents and staff e.g. decision-making, communication, self-care, assertiveness. When this is not possible due to cognitive impairment and/or severe disability, appropriate advocacy, preparation and developmentally appropriate care in the adult service should be ensured prior to transfer
- transition planning must begin well before the anticipated transfer time – preferably in early adolescence when a series of educational interventions should discuss understandings of disease, the rationale of therapy, source of symptoms, recognising deterioration and taking appropriate action, and most importantly, how to seek help from health professionals and how to operate within the medical system, including primary and emergency care

SPEG

Transition Framework

- adolescents should be helped to take appropriate responsibility for their health from as early an age as possible. Furthermore, their parents should be encouraged to help them to do so. Health promotion should be embedded into the young person's service
- the concept of independent visits must be introduced well in advance to prepare the adolescent and their parents for this. "In the next couple of years, you may feel able to start seeing the doctor on your own...." The aim should be to see the teenager/adolescent by themselves for some time during clinic visits. NB Parents must remain involved and should be seen with the adolescent at some time during the session if this is desired by the young person
- in preparation for adolescents to be seen independently, the teenage and young adult clinic will provide continuity of professionals at each visit
- a schedule of likely timings and events should be given in early adolescence, and they should be involved in developing detailed timings for their own transition. Details should be documented in the notes to ensure continuity especially if seen by different members of the multi-disciplinary team
- leaflets and material about transition should be provided in clinic settings from early adolescence

Timings and age

Timing of transition **MUST** be flexible and not restricted to age criteria only. There must be a flexible approach to transition, the timing of which depends on:

- chronological age
- maturity
- adherence
- independence
- adolescent readiness
- parental readiness
- links to other social transitions such as leaving school

Process of transition

Initiation and co-ordination of transition

Every consultant or nurse seeing children and young people in the clinic is responsible for ensuring discussion of transition and making arrangements by a designated team member. This should be documented in the clinical notes. Post-clinic meetings or MDTs offer potential opportunities to identify adolescents suitable to begin transition at the next appointment.

SPEG

Transition Framework

Educational programme

- introductory leaflet which includes the meaning of transition for the patient and parent at the initial discussion
- gradual increasing emphasis on increasing self-advocacy for the adolescent in clinic. This includes involvement in decision making, being seen alone and other issues which impact on their life
- if a competency checklist is used by the paediatric department, this should transfer with the young person as they move into the adult service

Assessment of readiness for transition

This will involve individual discussion between the adolescent and their parents with the endocrine team and team discussion at post clinic meetings. The ultimate decision to move to the adult service lies with the young person.

Involvement of GP in transition process

The GP needs to be sent a copy of the transition plan.

Acknowledgements

This policy has been based on the work done by the Paediatric subgroup of the Scottish Diabetes Group, which in turn has based their transition policy on the work of the North-West Paediatric Network. SPEG acknowledges their work and is grateful that they have made this policy available.

National Standards for Endocrine Transition

Principles

- age-appropriate communication – with the young person as well as the parent/carer
- offer the young person the option to see the HCP without parent/carer for at least part of the consultation
- understand health issues in the context of other events in the young person's life
- the appointment should aim to develop mutually agreed goals, working towards an appropriate level of independent self-management by the young person
- aim for consistency of contact – not necessarily through one person but a small team
- a balance of paediatric and adult healthcare professionals to see the young person
- team members should be working collaboratively across both services with a shared ethos and an understanding of each other's roles and responsibilities

SPEG

Transition Framework

- all professionals need to be appropriately trained and specifically interested in the needs of young adults living with a long-term condition
- the process should allow the young person to become familiar with the location, layout and staff involved with the young adult service

Process

- an identified lead for transition in each paediatric and adult endocrine service
- a joint paediatric/adult transition policy
- start the discussions about the transition process early
- the actual period of movement between services should involve input from paediatric and adult teams with at least one combined appointment
- experience of care audit should be undertaken

Quality Standards for Transition

- Ensure there is a patient centred transition policy in place for every unit.
- The young person and their family should be given information relevant to them about the transition process in advance of the process starting.
- The young person, family and carers should be involved in planning their transition process.
- Identify a named member of staff the family can contact regarding the transition process.
- The move from paediatric to adult care should involve at least one combined appointment.
- DNA rates monitored and followed up over the course of the transition period.
- Children with GHD should have GH status retested at final height and a decision made about ongoing GH replacement as part of the transition process.
- There should be a regular experience of care audit for each transition service.

Information matrix

Transition checklist – matrix for information

Q1	Have the patient & their family / carers been informed of the transition process well in advance of the process beginning?	STOP The issue of transition has never been raised with the young person or their family / carers. Any questions raised have not been answered.	CAUTION The issue of transition has been briefly mentioned to the young person and their family / carer. Questions raised have been partially answered.	GO The issue of transition has been discussed fully and openly and any questions raised have been answered as comprehensively as possible.
Q2	Does the information given begin by explaining what transition will cover and then continue to cover that information?	STOP Does not give an introduction or any outline of the information, and the information is not very clear.	CAUTION Has an introduction but does not contain any relevant information that is needed for the patient/family or carer.	GO Information is in a clear, concise manner and contains information mentioned in the introduction.
Q3	Does it use everyday language (plain English) explaining unusual or medical words or abbreviations or jargon?	STOP Does not contain any plain English (everyday language) and has many medical terms, it does not make any attempt to explain the medical terminology.	CAUTION Has a mixture of plain English (everyday language) and medical terminology, and makes some attempt to explain medical words but not in great detail.	GO Information is in plain English (everyday language) and no medical jargon; any medical terminology should give a clear explanation of its meaning.
Q4	Does any written information use short sentences of less than 15 words on average?	STOP The information contained in the sentence has too many words with no clear explanation. Edit into one short sentence.	CAUTION The information is written in sentences containing more than 15-20 words and is explaining about more than one concept in the sentence, this can be confusing. It would be better split into two sentences.	GO The information contains sentences of less than 15-20 words and only one concept at a time. It's important to use short sentences, and not too many concepts.

Transition checklist – matrix for individual and interaction

Q5	Is there a clear written policy in place for the transition pathway for this particular service?	STOP There is no policy in place at all for transition from children's services to adult services	CAUTION There is a partial process in place for the transition pathway but this is not a written policy	GO There is a written policy in place for the transition from children's services to adult services.
Q6	Has a predicted timescale of transition been provided to the young person?	STOP There has not been a predicted timescale of transition given to the young person	CAUTION A predicted timescale of transition has been provided for the young person but this has not been discussed fully	GO A predicted timescale has been provided for the young person and has been fully explained to them, including the issue that this is not a definitive timescale and may be subject to change for reasons that have been fully discussed.
Q7	Has the individual needs of the patient been taken into account – age, development, maturity etc?	STOP The individual young person's needs have not been considered	CAUTION The individual needs of the young person have been considered but not fully and there is still more to consider	GO The individual needs of the young person have been considered and fully incorporated in to the transition process for this patient
Q8	Has the young person been prepared for gaining more independence in the move to adult services and feels confident about this autonomy?	STOP The young person has not been prepared for the independence expected in adult services and no help has been given to improve this. The subject of attending clinics on their own has not been broached.	CAUTION The young person has begun to partially understand the independence expected of them but is not yet fully confident in being autonomous in the adult services. The subject of attending clinics on their own has been discussed but not in detail.	GO The young person fully understands the independence expected and are comfortable and confident in being autonomous and attending clinics on their own in the adult services. They have been given all the detail required for them personally.

Transition checklist – service and interaction

Q9	Is there the opportunity to have joint clinics with both children's service staff and adult service staff?	STOP The opportunity for joint clinics has not been considered	CAUTION There is an opportunity for joint clinics but this has not been developed further	GO The opportunity for joint clinics has been fully considered and has been arranged where possible
Q10	Are the children's team and adult's team working collaboratively to ensure a smooth transition process?	STOP The children's team and adult's team have not discussed the transition pathway at all	CAUTION The children's team and adult's team have partially discussed the transition pathway but not in full detail	GO The children's team and adult's team have discussed the transition pathway and are fully aware of the patient and the pathway that will be put into practice
Q11	Does the information / staff member personally address the patient / family or carer?	STOP Does not address the patient / family or carer as "you" or "your" and uses a lot of passive sentences.	CAUTION Addresses the patient / family or carer as "you" or "your" but uses passive sentences, explains details but uses words that are impersonal to the participant / patient / family.	GO The information addresses the patient / family or carer as "you" "your" and tries to address any fears and anxieties. It gives reassurances to the patient / family. It also uses personal terminology.
Q12	Is the tone of Interaction / information respectful?	STOP The information / Interaction talks down to the patient / family and does not provide any encouragement for the patient / family or carer. Is rather patronising to the patient / family or carer.	CAUTION The information / Interaction uses words that are patronising and does not try to encourage involvement. Try and rethink the information / interaction in a more realistic form.	GO The information should encourage involvement with the patient/family and is not patronising in any way. Do not talk down to the patient / family or carer. It should not stereotype or discriminate to any group

References

- 1 Smith BA, Shchman M (2005). Problem of nonadherence in chronically ill adolescents: strategies for assessment and intervention. *Current Opinion in Pediatrics*; 17:613-618.
2. Viner RM, Barker M (2005). Young people's health: the need for action. *British Medical Journal*; **330**:901-903.
3. Downing J, Gleeson HK, Clayton PE, Davis JRE, Wales JK, Callery P (2013). Transition in endocrinology: the challenge of maintaining continuity. *Clinical Endocrinology*; **78**:29-35.
4. Pedreira C, Hameed R, Kanumakala S et al (2006). Health-care problems of Turner syndrome in the adult woman: a cross-sectional study of a Victorian cohort and a case for transition. *Internal Medicine Journal*; **36**:54-57.
5. Verlinde F, Massa G, Lagrou K et al (2004). Health and psychosocial status of patients with turner syndrome after transition to adulthood: the Belgian experience: the Belgian experience. *Hormone Research in Paediatrics*; **62**:161-167
6. Royal College of Physicians Edinburgh Transition Steering Group. Think Transition: Developing the essential link between paediatric and adult care. Edinburgh: Royal College of Physicians; 2008. Available from url: <http://www.rcpe.ac.uk/clinical-standards/documents/transition.pdf>
7. Royal College of Nursing. Lost in Transistion. Moving people between child and adult health services. London: Royal College of Nursing; 2008. Available from http://www.rcn.org.uk/_data/assets/pdf_file/0010/157879/003227.pdf
8. Royal College of Nursing. Adolescent transition care. Guidance for nursing staff. London: Royal College of Nursing; 2004. Available from http://www.rcn.org.uk/_data/assets/pdf_file/0011/78617/002313.pdf
National Collaborating Centre for Women's and Children's Health.
9. Blum RW, Garell D, Hadgman CH et al (1993). Transition from child-centred to adult health-care systems for adolescents with chronic conditions. A position paper of the Society for Adolescent Medicine. *J Adol Health*; **14**: 570-6

Appendix 1 – Steering Group membership

Name	Designation	Role	Area Representing
Amalia Mayo	Consultant Paediatrician	Steering Group Member	NHS Grampian
Anthony Tasker	Consultant Paediatrician	Steering Group Member	NHS Fife
Arlene Smyth	Third Sector Representative	Steering Group Member	Third Sector
Ching Chen	Consultant Paediatrician	Education Group Chair	NHS Greater Glasgow & Clyde
Craig Oxley	Consultant Paediatrician	Steering Group Member	NHS Grampian
Graeme Eunson	Consultant Paediatrician	Steering Group Member	NHS Borders
Guftar Shaikh	Consultant Paediatric Endocrinologist	Steering Group Member	NHS Greater Glasgow & Clyde
Harriet Miles	Consultant Paediatric Endocrinologist	Steering Group Member	NHS Lothian
Ian Hunter	Consultant Paediatrician	Steering Group Member	NHS Lanarkshire
Jane McNeilly	Clinical Biochemist	Steering Group Member	NHS Greater Glasgow & Clyde
Jill Gibb	Paediatric Endocrine Nurse Specialist	Nurses' Group Chair	NHS Tayside
Julie Lucas	Paediatric Diabetes & Endocrine Nurse	Steering Group Member	NHS Forth Valley
Kathryn Cox	Consultant Paediatrician	Quality Indicators Group Chair	NHS Lothian
Kerstin Norman	Paediatric Endocrine Nurse Specialist	Steering Group Member	NHS Highland
Mike Crane	Principle Biochemist	Steering Group Member	NHS Lothian
Nicky Conway	Consultant Paediatrician	SPEG Lead Clinician	NHS Tayside
Rohana Wright	Consultant Physician Endocrinology & Diabetes	Steering Group Chair	NHS Lothian
Roisin Boyle	Paediatric Endocrine Nurse	Steering Group Member	NHS Greater Glasgow & Clyde
Ruth Magowan	Paediatric Nurse	Steering Group Member	NHS Borders
Sabine Grosser	Consultant Paediatrician	Steering Group Member	NHS Forth Valley
Sarah Kiff	Consultant Paediatric Endocrinologist	Clinical Guidelines Group Chair	NHS Lothian
Sarah Smith	Clinical Scientist	Steering Group Member	NHS Greater Glasgow & Clyde
Scott Williamson	Consultant Paediatrician	Steering Group Member	NHS Ayrshire & Arran
Stephen Bowhay	Clinical Pharmacist	Steering Group Member	NHS Greater Glasgow & Clyde
Stuart Henderson	Consultant Paediatrician	Steering Group Member	NHS Highland

Contact: nss.speg@nhs.scot

Copyright Statement

All content is available under the [Open Government Licence v3.0](#) except for graphic assets and where otherwise stated.'